

H.F. AERIAL TAPS



H.F. ANODE TAPS



H.F. TUNING



NORMAL F.S. ANODE CURRENT  
ON R/T 35-45 mA



SET FIL VOLTS TO RED LINE

AERIAL CURRENT



I.F. AERIAL TAPS



TRANSMITTER  
TYPE TGY.2



M.F. TUNING



I.F. AERIAL TAPS



DRIVE TUNING



M.F. TUNING



FIL VOLTS  
INCREASE



FS. GRID  
FIL  
FS. ANODE  
MOD. ANODE



R/T CW MCW



CRYSTALS




REMOVE PLUGS  
BEFORE OPENING CASE

ARCON'S WIRELESS (ELEGANT)  
Q1 L7

TITLE TRANSMITTER W 5048 E-8  
SERIAL NO. 46 31347  
ADM PAT. NO. 8 430


AERIAL & ANODE TAPS  
MUST NOT BE ADJUSTED  
WITH KEY PRESSED











F.S. ANODE

M.O. ANODE

MOD. ANODE



F.S. ANODE

FEL

ARCONI'S WIRELESS TELEGRAPH  
Co L<sup>TD</sup>

TITLE TRANSMITTER W.6048 ED.B.  
SERIAL N<sup>o</sup> M. C. (2367)  
ADM PATT N<sup>o</sup> M450

SE

TITLE CONTROL UNIT TYPE 886  
SERIAL NO. MC 261  
ADM. PATT. NO. M451

RECEIVER



REMOTE CONTROL LOCAL



RECEIVER SUPPLY



ON H.T. OFF



MIC.



TRANSMITTER SUPPLY



KEY



TRANSMITTER SUPPLY



ON L.T. OFF



TRANSMITTER

T.S.Y. T.N.S.



T.G.Y. TRANSMITTER






47 4311  
1 MFD  
WORKING  
500VDC 140°F  
400VDC 160°F  
TYPE 82


47 4311  
1 MFD  
WORKING  
500VDC 140°F  
400VDC 160°F  
TYPE 82

47 4311  
1 MFD  
WORKING  
500VDC 140°F  
400VDC 160°F  
TYPE 82

47 4311  
1 MFD  
WORKING  
500VDC 140°F  
400VDC 160°F  
TYPE 82

559858  
559858  
559858  
559858













MAGNONS WIRELESS TELEPHONE  
C.R.L.

TITLE CASE (FITTED)  
SERIAL NO. 111

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24